



enteron 80



TECHNICAL DATA

- Tank capacity..... 305 l in operation
- Weight of the plant..... 68 kg
- Total weight ready
for operation at least 375 kg
- Length 1500 mm (clear length 1510 mm)
- Width 1000 mm (clear width 1010 mm)
- Height..... 575 mm (clear height incl. hoses 600 mm)
- Housing PEHD (tank)
PVC-U (valves and pipes)
- Approvals..... IMO/MARPOL/MEPC 227(64),
Approval number 340.623
- Cleaning performance.. 80 l black water each day in normal operation
- Achieved BOD5 value... 10 mg/l (limit value 25 mg/l) in the outlet
- Bacteria in the outlet ... 81 cfu/100 ml (limit value 100 cfu/100 ml)



CONTROL ELECTRONICS

- fully encapsulated V4A installation housing with 2 m connected control cable and 10 m cable for remote control
- PLC control with possibility of remote maintenance and software update by installation companies
- display of operating and warning messages on a three-coloured text display
- length: 200 mm (260 mm incl. wall brackets)
- width: 200 mm
- height: 120 mm
- housing: seawater resistant stainless steel 1.4404

CONTROL SOFTWARE

- fully automated PLC control of all plant components
- operating system that cannot be manipulated by the user

REMOTE CONTROL

- length 95 mm
- width..... 95 mm
- installation depth 50 mm
- required cut-out 65 x 65 mm
- housing..... anodised aluminium